

# PROFESSIONAL PRODUCT CATALOGUE

# **SOUDAL BUILDING THE FUTURE**

# **SOUDAL - EXPERTS IN SEALANTS, ADHESIVES & PU FOAMS**

Soudal is Europe's largest independent manufacturer of sealants, adhesives and PU foams for both professionals and private users. With more than 4,000 employees, a turnover of 1.34 billion euros and 29 production sites in 5 continents. This 100% Belgian family business, founded by Vic Swerts, has grown into a global player and expert in chemicals for construction and industrial applications. Extensive investments in R&D, a long-standing vision of innovation as well as adaptations to local market needs laid the foundation for its excellent performance. Soudal is accredited as best managed company and top employer.

# **MISSION**

Soudal aims to become the world's largest independent manufacturer and service-oriented supplier of sealants, adhesives and PU foams for professional construction, retail and industry. Soudal operates in a safe, sustainable, high quality and profitable manner to perpetuate the continuity of the business, values the satisfaction of its employees and the respect of the local community.

# "Our employees are our most important asset."

**Vic Swerts** 

# VISION

Soudal continues to find solutions to current and upcoming global challenges. Innovation and progress are the keywords of preference. We aim be a pioneer for the professional and retail construction sector We are fully committed to building a better future.

In its industry, Soudal aims to become and remain a leader by manufacturing and selling quality products in selected market segments, anywhere in the world. We continuously improve these products. Soudal aims to increase its rate of innovation and develop new areas of activity.

Vic Swerts, Chairman-Founder: "Our employees are our most important asset. Daring entrepreneurship involves the challenging process of bringing together a unique team of people. Employees, partners and customers are no hollow concepts. It's about people, about individuals who enable the entrepreneur to realise an ambition. You must therefore surround yourself with good, strong people who know and can do better than you."



# **ABOUT SOUDAL**



# **OUR VALUES**

Soudal is an international company that operates in 140 countries, but despite that dispersed geographical presence, all Soudal colleagues share a common goal. After all, all our employees are part of one company, one entity, one team. We share the same dream worldwide: continuing to **BUILD THE FUTURE** together.

We express and show this visually with our slogan (YOU) BUILD THE FUTURE. The red brackets show explicitly that you are included, that you are part of Soudal. Regardless of the area you work in, every colleague is an indispensable link in our great company. We are a multinational company, but within the company nobody is just a number. "You matter!"



# THREE CORE VALUES

UNCOMPLICATED SINCERITY

**AMBITIOUS BRAVERY** 

**SHARED LOYALTY** 







Above all, we value integrity and respect. We always try to be honest with each other and all our stakeholders. We keep this uncomplicated by having short lines of communication, keeping procedures simple and working in a down-to-earth way.

At Soudal, we keep trying until we win. We always want to learn and try new things to keep growing.

We are 100% a family business, and everyone within Soudal belongs to that family. Together, we want to continue to strive for loyalty and a positive environment.

# **SUSTAINABILITY MANAGEMENT**

# **OUR SUSTAINABILITY STRATEGY**



# **BUILDING THE FUTURE TOGETHER**

Working on the climate-neutral society of tomorrow



**Providing the best workplace** to our people



**Growing better through** responsible entrepreneurship









# **INDEX**

Silicone Sealants	
General Purpose Plus Silirub PS Silirub 989 Silirub Color Silirub MA Fire Silicone B1 FR Silirub SSW Firecement HT° Silirub HT°A Silirub HT°N Silirub IS Silirub IS Color Gasket Seal Soudal 92G	7 7 7 8 8 8 9 10 10 10 11 11 11
Acrylic Sealants	
Acryrub Pro+ Windowseal Acryrub Exterior Firecryl FR	13 13 13 13
Fix All Range	
Fix All High Tack Fix All Crystal Fix All X-Treme Power Express Fix All Turbo	15 15 15 15
Hybrid Sealants (MS Polymer)	
Aluseal Hybrid Soudaseal MS Clear Soudaseal 212 CS Soudaseal EPDM Soudaseal FR Soudaseal 2K Soudaseal 605 Soudaseal 605 Soudaseal 605 DUO Soudaseal 640 Soudaseal 650 HT Soudabond 658 GB Soudabond 675 HR Soudabond 680 Soudabond 690 DG Soudagum Hydro MS-30 Plus	17 17 17 17 18 18 18 18 19 19 19 20 20 21
Polyurethane Sealants	
Builder PU LM Soudaflex 33SL Soudaflex 20LM Soudabond 641 Soudabond 642 DUO Soudapur 6342/25 Soudapur DUO A2/15	23 23 23 24 24 24
Soudapur A2/30 Soudaflex FR	25 25
Soudaflex 611	25

# **INDEX**

Soudaflex 621 Soudaflex 622 Carbond 940 FC Carbond 955 DG	26 26 27 27
Construction Foam	
Soudafoam 1K Soudafoam PRO Soudafoam Gun Gap Filler Xtra Flexifoam Soudafoam 2K B2 Soudafoam Black Soudabond Easy 1K Gun Soudabond Easy Genius Gun Soudafoam FR HY Soudafoam FR HY Gun Soudafoam Gun B1	29 29 29 29 30 30 30 30 31 31 31
Polybutene Sealant	
Butyrub Butyband Soudaseal PIB	33 33 33
Water Base Adhesives	
Ductseal WB 180 AQ Contact Adhesive 190 AQ Contact Adhesive	35 35 35
Rubber Base Adhesives	
Contact Adhesive 170TX (Gel) Soudaguard UBC Soudabond 265 Classic Spray Soudabond 280 Power Spray Soudabond 280 Power Spray C&S Aluseal	37 37 38 38 38 38
Chemical Anchors	
Soudafix VE400-SF Soudafix Ca1400	41 41
Accessories	
Surface Activator Primer 100 Primer 150 Surface Cleaner Gun & Foam Cleaner Industrial PU Cleaner 6300 Swipex Dissolver SP Remover CT Carbond 955 DG Cleaner/Activator Carbond 955 DG Primer JM 108 DT (Rabbit) Cartridge Gun JM 138 Cartridge Gun JM 168 K Sausage Gun Tyne (Airflow II) Pneumatic gun	43 43 43 43 43 44 44 44 44 44 44
, Carrier of the same and a same	***



TAILORED SOLUTIONS FOR EVERY SEALING CHALLENGE

# **SILICONE SEALANTS**



# **GENERAL PURPOSE PLUS**

General Purpose Plus is a premium, elastic one-component, acetoxy-cure, silicone joint sealant for professional applications.

- ✓ General glazing and joint work in both residential and commercial segments.
- ✓ Automotive applications, especially for sealing non-porous surfaces.
- ✓ Sealing in cold storerooms and container constructions.
- ✓ Reliable sealing around windows and doors, sanitary ware and non-porous substrates.

# **Properties:**









Permanently Elastic

Adhesion

Resistant

**Available Color:** 







Packaging:

Cartridge 280ml & Sausage 560ml





**NEUTRAL CURE** 

SILICONE SEALANT

# **SILIRUB PS**

Silirub PS is a neutral cure, silicone sealant suitable for interior & exterior sealing applications such as perimeter joints, weather sealing, connection joints.

# **Applications:**

- √ Perimeter sealing of telecom shelters, uPVC and aluminum window/door frames, ACP panels and glass facades.
- Top sealing between treated wood, PVC, aluminum and glass.
- Suitable for all common building joints, including those with high movement capacity.

# **Properties:**









Resistant

**Available Color:** 







Translucent

# Packaging: Cartridge 280ml & Sausage 280ml, 560ml



# **SILIRUB 989**

Silirub 989 is a flagship, high performance, one component weatherproof joint and glazing sealant, based on neutral silicone. Silirub 989 has been specifically designed for weather sealing of joints in the façade application with high shore A hardness.

# **Applications:**

SOUDAL

**NEUTRAL CURE** 

SILICONE SEALANT

- Weather seal in façade & curtain wall applications.
- Sealing dynamically moving joints such as expansion and control joints.
- Concrete panel joints.
- Excellent for double glazing system applications.

# **Properties:**







Adhesion



Resistant

High Shore A Hardness **Available Color:** 

White Black

# Packaging: Cartridge 405g, 350g & Sausage 600ml





# **SILICONE SEALANTS**



# **SILIRUB COLOR**

Silirub Color is a neutral cure, silicone sealant particularly suitable for interior & exterior sealing applications such as perimeter joints, weather sealing, connection joints around doors, windows, ACP, glass, panels, etc.

# **Applications:**

- ✓ Sealing between glass, uPVC, treated wooden and aluminum profiles.
- ✓ All usual building joints with high movement.
- ✓ Glazing and joint works.
- ✓ Building and construction joints.

# **Properties:**









Permanently Elastic

Resistant

Available Color:

RAL 7016



**Packaging:** 

Cartridge 384g & Sausages 560ml (upon request)







# SOUDAL **NEUTRAL**

NO STAINING

# **SILIRUB MA**

Silirub MA is a high-quality, neutral cure, elastic one-component, non-staining silicone based joint sealant.

# **Applications:**

- Sealing of joints that are in contact with natural stones (marble, blue stone, granite etc.) or other porous surfaces.
- Expansion joints between many different construction materials.
- Sealing of joints in sanitary areas and kitchens which are in contact with natural stones.

# **Properties:**









Biocide with Fungicidal Action

(Other colors on request)







**Packaging:** Cartridge 310ml



# **FIRE SILICONE B1 FR**

Fire Silicone B1 FR is a high-quality, fireresistant, smoke-tight, neutral cure, elastic, one-component, silicone based joint sealant.

# **Applications:**

SOUDAL

FIRE RANG

- Fire retardant expansion and connection joints in the construction industry.
- Fire-resistant sealing of connection joints.
- As part of the 'Soudal Fire Range' assortment for penetration seals and joints.



# **Properties:**









Resistant

**Available Color:** 



Sausage 600ml (upon request)







# Silirub SSV

**High Performance Silicone Glazing Sealant** 

Silirub SSW is a one-part, premium neutral cure, high-modulus silicone sealant for a wide variety of glazing applications. It cures into a durable and permanently flexible silicone rubber upon exposure to atmospheric moisture. Silirub SSW's exceptional tensile strength and ageing resistance makes it ideal for architectural glazing and bonding applications.

# **Applications:**

- √ General glazing and structural glazing systems
- √ Elastic bonding in construction and façade assemblies
- ✓ Skylights, metal structures and industrial glazing applications
- √ Weather sealing in curtain walls and building facades
- ✓ Sealing of laminated, reflective, and insulated glass units
- √ Sealing of composite panels and high-pressure laminates

# **Properties:**



High Tensile Strength





Low VOC



Excellent Weather Resistance

# **Available Color:**











# **INDUSTRY SILICONE SEALANTS**



# **FIRECEMENT HT<sup>o</sup>**

Firecement HT° is a one-component ready to use sealing paste which cures to form a hard joint that withstands temperature upto 1500°C.

# **Applications:**

- All sealing applications that require high temperature resistance.
- Sealing of stoves, ovens, fireplaces.
- Heat retardant sealing at existing constructions.

# **Properties:**









Fragmentation Resistance

#### **Available Color:**



# Packaging: Cartridge 310ml



# **SILIRUB HT°-A**

Silirub HT°-A is a single-component, acetoxycure, silicone-based engineered sealant designed to withstand high temperatures of up to 285°C.

# **Applications:**

SOUDAL

**ACETIC CURE** 

SILICONE

- ✓ Sealing of heating installations.
- √ Sealing in pumps and engines.
- All sealing applications that require high temperature resistance.

# **Properties:**









Temperature Acetic Smell

Available Color:



Packaging: Cartridge 300ml



# SOUDAL

**NEUTRAL CURE** 

SILICONE

# **SILIRUB HT°-N**

silicone-based engineered sealant designed to withstand high temperatures of up to 280°C.

# **Applications:**

- √ Sealing in pumps and engines.
- All sealing applications that require high temperature resistance.

Silirub HT°-N is a neutral-cure, single-component,

√ Sealing of heating installations.

# SOUDAL



SILICONE SEALANT

# **Applications:**

**SILIRUB IS** 

Expansion joints between many different construction materials.

Silirub IS - Industrial Seal is a high-performance

neutral cure silicone sealant with outstanding

sealing properties for most of the industrial critical applications. It is FDA (food grade)

approved by lanesco (France).

- Sealing in cold storages and container construction.
- Sealing in air conditioning systems.
- Sealing in cleanroom applications in hospitals, laboratories and other critical surroundings.

# **Properties:**









Resistant

# **Available Color:**



# Packaging: Cartridge 280ml



# **Properties:**









Resistance

Available Color:

Packaging: Cartridge 310ml



# **INDUSTRY SILICONE SEALANTS**



# **SILIRUB IS COLOR**

Silirub IS Color - Industrial Seal is a highperformance neutral cure silicone sealant with outstanding adhesive/sealing properties for most of the industrial critical applications. Silirub IS - Industrial Seal is FDA (food grade) approved by lanesco (France).

#### **Applications:**

- Expansion joints between many different construction materials.
- Sealing in cold storages and container construction.
- Sealing in air conditioning systems.
- √ Sealing in cleanroom applications in hospitals, laboratories and other critical surroundings.

# **Properties:**









Good Resistant Adhesion

# **Available Color:**



# Packaging: Cartridge 280ml



# **GASKET SEAL**

Gasket seal is an acetoxy cure, temperature resistant, elastic, one-component silicone sealant which replaces all cork, felt, fiber, paper and rubber gaskets in all thicknesses and widths. Maintains flexibility across a wide temperature range, from -60°C to +285°C

# **Applications:**

SOUDAL

ACETATE

- $\checkmark$  Formation of gasket and sealing rings.
- √ Sealing between metal components.
- √ Sealing of heating installations.
- ✓ Excellent resistance to fuels, oils and grease.

# **Properties:**









Permanently Elastic

High Temperature

**Available Color:** 



Packaging: Cartridge 310ml



# **SOUDAL 92G**

Soudal 92 G is a dual-component, neutral-curing secondary sealant for insulating glass with structural properties. It offers good mechanical properties along with outstanding resistance to UV. It is especially designed for inert gas filled IG units.

- $\checkmark$  Ideal as a secondary edge seal for insulating glass in structural glazing applications.
- √ Suitable for sealing joints in curtain wall systems, providing structural support and weatherproofing.
- Ensures a secure and long-lasting seal in window glazing applications, particularly in high-rise buildings.
- Applicable for both commercial and residential buildings where insulating glass
- Suitable for use in high-performance glass assemblies that require excellent UV and weather resistance.

# **Properties:**









Stability

**Available Color:** 





Part A: Available in 200L/310kg metal barrels and 20L plastic barrels. Part B: Available in 20L/20kg and 2L plastic barrels.





IDEAL FOR CRACK FILLING, GAPS & JOINTS

# **ACRYLIC SEALANTS**



# **ACRYRUB PRO+**

Acryrub PRO+ is an all-in-one painter's kit for indoor applications. Acryrub PRO+ is an one component, paintable, plasto-elastic sealant based upon acrylic dispersion.

# **Applications:**

- For indoor sealing around uPVC doors and windows
- Sealing compound for cracks in concrete and plaster.
- Connection joints in the building industry.
- Joints in windowsills, between skirting board and floor, between brickwork, etc.

# **Properties:**









Crack After Curing

#### Available Color:







# WINDOWSEAL

Windowseal is a premium, plasto-elastic, onecomponent joint sealant based on acrylic dispersion. Due to its unique composition, it minimalizes the risk for crazing, even with highly filled and covering paints.

# **Applications:**

SOUDAL

**PAINTABLE** 

ACRYLIC SEALANT

SOUDAL

FIRE RANGE

- ✓ Building and construction joints.
- √ For uPVC, window & door professionals.
- √ Sealing between uPVC & glass.
- Joints around window frames with a max. movement capacity of ±15%.



# **Properties:**









Permanently Elastic

Easy to

**Available Color:** 







Packaging:

Cartridge 270ml & Sausage 270ml, 540ml







ACRYLIC SEALANT

# **ACRYRUB EXTERIOR**

Acryrub Exterior is a high-quality, plasto-elastic, one-component joint sealant based on siliconized acrylic dispersions. Developed for both interior and exterior applications.

# **Applications:**

- Perimeter sealing around windows, doors, and other building components to prevent air, water and dust infiltration.
- Joints around window frames with a maximum movement capacity of ±15%.
- Sealing compound for cracks in concrete and plaster.



# **Properties:**









Resistant

**Available Color:** 



Packaging: Cartridge 425g & Sausage 425g



# **FIRECRYL FR**

Firecryl FR is a one-component, fire-resistant, smoke-tight, plasto-elastic intumescent joint sealant based on acrylic dispersion.

# **Applications:**

- Fire-resistant and smoke-tight indoor applications.
- Fire resistant connection joints in the building industry.
- Fire resistant joints with movements up to 12.5%.



# **Properties:**











# **Available Color:**



# Packaging: Cartridge 425g



# ALL you need is... Fix ALL®



SOUDAL

SEAL IT. BOND IT. FIX IT WITH FIX ALL!

# **FIX ALL® RANGE**



# **FIX ALL HIGH TACK**

Fix ALL High Tack is a high quality, single component joint sealant with high adhesive strength and initial tack. It is based on SMX Hybrid Polymer.

# **Applications:**

- √ Sealing and bonding in the building and construction industry.
- Elastic bonding of panels, profiles and other pieces on the most common substrates (wood, MDF, chipboard, etc).
- Elastic structural bonding in car and container industry.

# **Properties:**









High Initial Tack Resistant Curing

#### Available Color:





Cartridge 290ml



# SOUDAL CRYSTAL

SUPER

CLEAR

Bonding Sealing

Materials Surfaces

SMX® HYBRID POLYMER

# **FIX ALL CRYSTAL**

Fix ALL Crystal is a high quality, crystal clear, neutral, elastic, one component adhesive sealant based on SMX-Polymer.

# **Applications:**

- ✓ Perfect for 100% transparent bonding and sealing
- √ All materials and surfaces
- √ High elasticity and can be painted
- Suitable for uneven surfaces

# **Properties:**









Resistant

Available Color:



Transparent

# Packaging:

Cartridge 290ml





400KG\*

EXTREME

TACK

Bonding

Materials

Surfaces

HYBRID POLY

# **FIX ALL X-TREME POWER EXPRESS**

Fix ALL X-treme Power Express is a high quality, neutral, elastic, one-component adhesive sealant based on SMX-polymer. Fix ALL X-treme Power Express has an extremely high initial tack of min. 400 kg/m<sup>2</sup>.

# **Applications:**

- ✓ Bonding in building and metal industry.
- Elastic bonding of objects, panels, profiles and other pieces on the most common substrates.

# **Properties:**









# **Available Color:**



Packaging: Cartridge 280ml



# SOUDAL TURBO 20min SUPER FAST ALL Bonding Materials Surfaces HYBRID POLYME

# **FIX ALL TURBO**

Fix ALL Turbo is a high quality, neutral, elastic, one-component adhesive sealant with very fast strength build-up based on SMX-polymer.

# **Applications:**

- ✓ Bonding in building and metal industry.
- Elastic bonding of objects, panels, profiles and other pieces on the most common substrates.
- Sealing and bonding applications in the building industry.

# **Properties:**












Resistant

**Available Color:** 



Packaging: Cartridge 290ml





WEATHERPROOF,
PAINTABLE, DURABLE, BUBBLE FREE
THAT'S HYBRID POWER!



# **ALUSEAL HYBRID**

Aluseal Hybrid is a high-quality, elastic, watertight, one-component hybrid sealant that seals and protects the cut edges of aluminium profiles against corrosion. Aluseal Hybrid has been developed for the durable sealing of mitre and butt joints in aluminium constructions (e.g. extruded window profiles).

# **Applications:**

- Protection against corrosion of cut edges in (blank) aluminium profile.
- Durable sealing of mitre and butt joints in aluminium constructions (e.g. Extruded window profiles.)

# **Properties:**









Elastic

Protect Against Permanently

Available Color:



Packaging: Cartridge 290ml



# **SOUDASEAL MS CLEAR**

Soudaseal MS Clear is a high quality, crystal clear, neutral, elastic, one-component adhesive based on SMX-Polymer.

# **Applications:**

- All common bonding applications, both in and outdoor.
- Transparent and elastic bonding in construction and building applications.
- Invisible bonding of glass and other transparent materials in indoor applications.
- √ Joints in bathrooms and kitchens.

# **Properties:**









Permanently 1 4 1 Elastic

Biocide with Fungicidal Action

Sanitary

**Available Color:** 



# Packaging: Cartridge 290ml



# **SOUDASEAL 212 CS**

Soudaseal 212 CS is a high-quality, neutral, elastic, one-component, non-staining joint sealant based on SMX-Polymer. It offers excellent sealing and bonding performance for construction and industrial applications.

# **Applications:**

**Properties:** 

- √ Good Extrudability, stays elastic after curing.
- ✓ Excellent adhesion on nearly all surfaces, even if slightly moist.
- Can be painted with water based systems.
- ✓ Universal adhesive and joint sealant.

# **SOUDASEAL EPDM**

0% TRANSPARAN

HYBRID

SOUDAL

Soudaseal EPDM is a high quality, neutral, elastic, one-component adhesive sealant based on Hybrid polymer.

# **Applications:**

- $\checkmark$  For bonding of Soudal EPDM vapor barriers and waterproofing membranes in facade applications.
- For bonding and sealing of Soudal EPDM membranes to each other as well to structural work, masonry, concrete, plaster, cement, aluminum,
- Particularly suitable for making airtight connections in window installations



# **Properties:**







in Depth

# Adhesion







# **Available Color:**



Packaging: Sausage 600ml



# **SOUDASEAL FR**

Soudaseal FR is a high-quality, fire resistant, smoke tight, neutral elastic one component joint adhesive sealant.

# **Applications:**

- √ For interior and exterior sealing of expansion joints.
- ✓ Sealing between frames and walls, sealing in prefabricated buildings.
- ✓ Sealing of high movement joints in high rise buildings.



# **Properties:**











Retardant

Available Color:









# **SOUDASEAL 2K**

Soudaseal 2K is a fast curing, high quality, two component, hybrid polymer based adhesive. For use in elastic bonding applications where fast curing is required or for those applications where the bond design does not allow the normal penetration of atmospheric moisture.

# **Applications:**

- Soudaseal 2K is suitable for elastic bonding applications in industrial, automotive, as well as construction and building areas.
- Elastic bonding between metal surfaces, coated surfaces and many plastics (not PE, PP, PTFE (eg.
- ✓ Elastic high-performance bonding, both interior and exterior.

# **Properties:**







For Interior &

Elastic

#### **Available Color:**







**SOUDASEAL 605** 

Packaging:

Sausage 600ml

Soudaseal 605 is a high quality, fast, neutral, elastic, one-component adhesive sealant based on Hybrid Polymer with fast strength build-up properties.

# **Applications:**

- Elastic bonding and sealing in vibrating constructions like carbodies, caravans and containers.
- Strong elastic bonding in vibrating constructions.
- √ Flexible connections in automotive applications.

# **SOUDASEAL 605 DUO**

1 HOUR CURING

HYBRID

SOUDAL

Soudaseal 605 is a two component, high quality, neutral, elastic sealantadhesive based on Hybrid Polymer. The booster variant ensures a fast curing into depth especially designed for sealing and bonding of porous and nonporous substrates.

# **Applications:**

- ✓ Elastic bonding and sealing in vibrating constructions in car bodies, caravans and containers.
- Strong elastic bonding in vibrating constructions.
- ✓ Flexible connections in automotive applications.













# **Available Color:**



# Packaging:

Sausage 600ml





# **SOUDASEAL 640**

Soudaseal 640 is a high quality, fast, neutral, elastic, one-component adhesive sealant based on Hybrid polymer.

# **Applications:**

- Elastic bonding and sealing in vibrating constructions in carbodies, caravans and containers.
- Replaces the traditional weld or spot weld.
- For bonding container elements, car body parts, wheel arch extensions,

# **Properties:**









in Depth



No Bubble

#### Available Color:



Packaging:

Sausage 600ml



# **SOUDASEAL 650 HT**

Soudaseal 650 HT is a high quality, neutral, elastic, one-component adhesive sealant based on Hybrid polymer with a very high initial tack and high endgreen strength.

# **Applications:**

- $\checkmark$  Sealing and bonding in the building and construction industry.
- $\checkmark$  Elastic bonding of panels, profiles and other pieces on the most common substrates (wood, MDF, chipboard, etc).
- Elastic structural bonding in car and container industry.



# **Properties:**







Curing



High Initial Tack

#### Available Color:



# Packaging:

Sausage 600ml





FAST CURE

HYBRID

# **SOUDABOND 658 GB**

Soudabond 658GB is a high quality, fast curing, neutral, elastic, one-component adhesive sealant with high initial tack and fast end strength based on Hybrid polymer.

# **Applications:**

- √ For use in elastic structural bonding applications where a tough and rigid bond is required.
- Structural bonding in vibrating constructions.
- Joints between metal plates.
- Elastic structural bonding in automotive applications: buses, trains, trucks, caravans or trailers.

# **Properties:**







# Available Color:



# Packaging:

Cartridge 290ml & Sausage 600ml



# SOUDAL INDUSTRY

IGH PERFORMANC

HYBRID

# **SOUDABOND 675 HR**

Soudabond 675 HR is a high quality, neutral, elastic, one-component adhesive sealant based on SMX polymer. It is specifically designed for applications that need to withstand short term temperature spikes.

# **Applications:**

- √ For use in elastic structural bonding applications where a tough and rigid bond is required.
- Structural bonding in vibrating constructions.
- Elastic structural bonding in automotive applications: buses, trains, trucks, caravans or trailers...

# **Properties:**









High & Fast Strength Build-Up

High Initial Tack

**Available Color:** 



# Packaging:

Cartridge 290ml & Sausage 600ml



# **SOUDABOND 680**

 $Soud abond\ 680\ is\ a\ high\ quality, neutral, one-component\ adhesive\ based\ on\ Hybrid\ polymer.\ Soud abond\ 680\ has\ an\ excellent\ primer less\ adhesion\ to\ ABS.$ 

# **Applications:**

- √ Bonding of ABS parts.
- √ For bonding materials such as (imitation) leather, textile, glass, metal, textile, ABS, Plexiglass and many synthetic materials, both hard and soft.
- $\checkmark$  For use in elastic structural bonding applications where a tough and rigid bond is required.
- $\checkmark$  Elastic structural bonding in automotive applications: like buses, trains, trucks, caravans or trailers, etc.













High Strength 4.2 MPA

# Available Color:





Packaging:





# Sausage 600ml

**SOUDABOND 690 DG** Soudabond 690 DG is a ready for use, one-component, adhesive/sealant based on Hybrid polymer for installing windscreens in

# **Applications:**

vehicles.

- $\checkmark$  Installing of windscreens in vehicles.
- $\checkmark$  Sealing joints exposed to dynamic loads and vibration in vehicles.
- ✓ Primerless adhesion to glass and metals.



# **SOUDAGUM HYDRO**

Soudagum Hydro is a one-component, solvent-free waterproofing product for horizontal and vertical surfaces.

- ✓ Waterproofing of skylights, dome lights, pipe collars, wall break through.
- √ Waterproofing of cracks in roofs and walls.
- Waterproofing of indoor and outdoor joints.
- Waterproof layer under concrete roofs, terrain tiles and wooden terraces.
- Repair of metal and plastic roof gutters and drainages.
- ✓ Repair and renovation of roof tops (pans, slats, zinc), roof edges and chimney flashing.
- ✓ For protection and renovation of wood constructions such as verandas, terraces, garden poles, underground garden wood.



#### **Properties:**









Excellent UV &

Long lifecycle of waterproofing

Ready to use, paintable after curing

# **Available Color:**



Grev

# Packaging:

5kg & 10kg buckets



# **MS-30 PLUS**

MS-30 Plus is a high elastic, solvent, and water-free universal parquet adhesive. Suitable for bonding engineered and solid parquet with tooth and groove onto suitable indoor subfloors.

# **Applications:**

- √ MS-30 Plus is a parquet adhesive suitable for bonding of both engineered and solid parquet with tooth and groove.
- ✓ Solid parquet with a maximum width of 190mm and a minimal thickness of 16mm.
- ✓ Engineered parquet with a maximum width of 280mm and a minimal thickness of 16mm.



# **Properties:**











**Available Color:** 



Light brown

# Packaging:

6 kg bucket, 14kg (2 alu bags in box), 16 kg bucket, 18kg (3 alu-bags in bucket)





DURABLE, RESILIENT & PERFECT FOR HIGH MOVEMENT JOINTS

# **BUILDER PU LM**

Builder PU LM is a high quality, elastic, one-component moisture cure polyurethane based sealant.

# **Applications:**

- ✓ Expansion joints in buildings with high movement.
- Joint sealing for precast panel and wood, aluminium and PVC joinery seams, curtain walls.
- Concrete roof tiles in construction area.
- ✓ Connection joints between window or door frames and walls.



# **Properties:**













**Available Color:** 





# **Packaging:** Sausage 600ml



# **SOUDAFLEX 33SL**

Soudaflex 33SL is a high quality, flexible, one-component, self-leveling joint sealant based on polyurethane.

# **Applications:**

- ✓ Sealing of shrinking joints in concrete floors.
- ✓ All usual horizontal building, connection, expansion and dilatation joints.
- ✓ Excellent for sealing of joints in environments where fuel and oil contact
- √ Hydraulic fluids, lubricants, oils Fuels (petrol and gasoline).
- ✓ Pavement joint sealing.



# **Properties:**









**Available Color:** 



Concrete Grey

# Packaging:

Sausage 600ml



# **SOUDAFLEX 20LM**

Soudaflex 20LM is a high quality, elastic, one-component sealant based on polyurethane.

# **Applications:**

- ✓ All usual building joints with high movement.
- ✓ Connection joints between window and doorframes and walls.
- ✓ Expansion joints between many different construction materials.
- √ Joints with large movement.



# **Properties:**









Adhesion



No Bubble

**Available Color:** 





















# Packaging:

Sausage 600ml



# **SOUDABOND 641**

Soudabond 641 is a high quality, high strength, fast and neutral one-component adhesive based on polyurethane.

# **Applications:**

- For bonding angle pieces in extruded aluminium window profiles by means of preinjection (injection before assembly).
- ✓ Bonding of various metals.

# **Properties:**









High Strength ± 11 MPA Adhesion Build-Up

#### Available Color:





Packaging: Cartridge 310ml & Sausage 600ml



# **SOUDABOND 642 DUO**

Soudabond 642 Duo is a high quality, high strength, fast, neutral, twocomponent adhesive based on polyurethane.

# **Applications:**

- ✓ For bonding angle pieces in extruded aluminium window profiles by means of pre-injection (injection before assembly).
- Firm bonding of the most varying material combinations such as wood, metal, plastic, stone, etc.
- Bonding of various metals.



# **SOUDAPUR 6342/25**

Soudapur 6342/25 is an all round one-component, solvent free, ready to use, universal adhesive based on polyurethane.

# **Applications:**

- $\checkmark$  All kinds of bonding in the industry.
- ✓ Bonding of A.O. polyether, polyurethane and polystyrene foams, metal foils, felt, textiles, cork, both among themselves as on paper, cardboard, wood, chipboard and metal.
- Bonding of soft and hard polystyrene.
- ✓ Bonding of rigid plastic panels.

# **SOUDAPUR DUO A2/15**

Soudapur DUO A2/15 is a fast two-component, solvent free, ready to use, universal adhesive based on polyurethane.

# **Applications:**

- Bonding of A.O. polyether, polyurethane and polystyrene foams, metal foils, felt, textiles, cork, both among themselves as on paper, cardboard, wood, chipboard and metal.
- Production of sandwich panels.
- √ Bonding of various metals.
- Bonding of synthetic foam materials.
- Firm bonding of the most varying material combinations such as wood, metal, plastic, stone, etc.



# **Properties:**







Adhesion



Open Time of 25 Min.

# Available Color:



Packaging: Jerrycan 10kg & 25kg, Drum 200kg & IBC 1000kg



# **Properties:**



Permanently





Open Time 12-17 Min.



Build-Up

Build-Up

**Available Color:** 



Packaging: Pail 20kg, Drum 300kg & IBC 1000kg



# **SOUDAPUR A2/30**

Soudapur DUO A2/30 is a 2-component, solvent free, ready to use, universal adhesive based on polyurethane

# **Applications:**

- ✓ Production of sandwich panels.
- ✓ Bonding of A.O. polyether, polyurethane and polystyrene foams, metal foils, felt, textiles, cork, both among themselves as on paper, cardboard, wood, chipboard and metal.
- Bonding of synthetic foam materials
- $\checkmark$  Firm bonding of the most varying material combinations such as wood, metal, plastic, stone, etc.

# **SOUDAFLEX FR**

Soudaflex FR is a high quality, elastic, one-component sealant based on polyurethane. Soudaflex FR is fire resistant according to EN 1366-4.

# **Application:**

Fire retardant expansion and connection joints in the construction industry.





# **Properties:**









**Properties:** 













Grey

Packaging: Sausage 600ml

**Available Color:** 







Packaging:





# **SOUDAFLEX 611**

Soudaflex 611 is a highly elastic, all round polyurethane sealant and adhesive with good strength.

# **Applications:**

- ✓ General sealing and bonding.
- ✓ Sealing and bonding in car body work, caravan, bus and container industry.



# **Properties:**









Can be Painted

Long Open Time

**Available Color:** 





White

Packaging: Sausage 600ml





# **SOUDAFLEX 621**

Soudaflex 621 is a strong and permanently elastic polyurethane adhesive sealant for bonding and sealing in the automotive and transport industry.

- ✓ Supple bonding and sealing in vibrating constructions in car bodies, caravans and containers.
- √ Also bonding of upright parts.
- $\checkmark$  Replaces the traditional weld or spot weld.
- $\checkmark$  Bonding of container elements, car body parts, windscreens, wheel arch extensions, etc...



# **Properties:**









UV & Weather Resistant

High

**Available Color:** 





Packaging: Sausage 600ml other packaging on request





**SOUDAFLEX 622** 

Soudaflex 622 is a strong and permanently elastic polyurethane adhesive for bonding and sealing in the automotive and transport industry.

# **Applications:**

- ✓ Soudaflex 622 is suitable for several industrial applications like elastic bonding in car body work, caravan, bus and container industry.
- ✓ Supple bonding and sealing in vibrating constructions in car bodies, caravans and containers.
- $\checkmark$  Also bonding of upright parts.
- $\checkmark$  Replaces the traditional weld or spot weld.



# **Properties:**











UV & Weather Resistant

Can be Painted

**Available Color:** 









Light Grey

Packaging: Sausage 600ml







# **CARBOND 940 FC**

Carbond 940FC is an elastic polyurethane adhesive for structural bonding of body elements.

- ✓ Flexible bonding and sealing in vibrating constructions like car bodies, caravans and containers.
- $\checkmark$  Elastic seals with a good adhesive strength.

# **Properties:**









**Available Color:** 









Packaging:

Cartridge 300ml





# SOUDAL

# **CARBOND 955 DG**

Carbond 955 DG is a ready to use, high quality, one component adhesive based on polyurethane for installing windscreens in vehicles.

# **Application:**

Installation of windscreens in vehicles.

# **Properties:**





UV Resistance

**Available Color:** 



Black

Packaging:

Cartridge 310ml







**GAP FILLING AND INSULATION SOLUTIONS** 

# **CONSTRUCTION FOAM**



# **SOUDAFOAM 1K**

Soudafoam 1K is a one-component, self expanding, ready to use PU-foam, which contains HCFC and CFC-free propellants which are not harmful for the ozone layer.

#### **Applications:**

- √ Filling of cavities.
- ✓ Sealing of all openings in roof constructions.
- √ Apply of an acoustic baffle.
- Improving thermal isolation in cooling systems.
- ✓ All foam applications in static joints.

# **Properties:**









Insulation

Available Color:



Champagne

#### Packaging:

Aerosol Can (Straw) 750ml



# **SOUDAFOAM PRO**

Soudafoam PRO is a one-component, selfexpanding, ready to use polyurethane foam, which contains HCFC and CFC-free propellants which are not harmful for the ozone layer and where the canister is provided with a thread so it can be used on a gun.

# **Applications:**

SOUDAL

- ✓ Installing of window and door frames.
- √ Filling of cavities.
- ✓ Sealing of all openings in roof constructions.
- $\checkmark$  Apply of an acoustic baffle.
- Improving thermal isolation in cooling systems.

# **Properties:**









Good Adhesion

Insulation

Available Color:



Champagne

#### Packaging:

Aerosol Can (Gun) 750ml





POLYURETHANE FOAT

# **SOUDAFOAM GUN GAP FILLER XTRA**

Soudafoam Gun Gap Filler Xtra is a highperformance, one-component, ready to use polyurethane foam. Powered by Duravalve® technology, it delivers up to 50% more yield compared to standard foams, throughout its shelf life even when stored horizontally. It combines superior expansion, adhesion, and durability with an environmentally responsible profile.

# **Applications:**

- Mounting and sealing of window and door
- Filling gaps, cavities, and voids.
- ✓ Sealing joints and openings in roofs and walls.
- Improving thermal insulation in HVAC and cooling systems of a sound absorbing layer.

# **Properties:**









**Available Color:** 



Packaging:

Aerosol Can (Gun) 750ml





# SOUDAL

POLYURETHANE FOAM

# **FLEXIFOAM**

Flexifoam Gun is a one-component, moisturecuring, self-expanding, ready to use polyurethane foam. The product has elastic properties, which allow the foam to follow the movement of the joint and keep its insulation properties for many years. Because of the Duravalve, the optimal yield remains over the entire shelf life, even when stored or transported lying down

# **Applications:**

- ✓ All foam applications in static and not static
- √ Application of a sound absorbing layer.
- √ Improving thermal isolation.
- √ Filling of cavities.

# **Properties:**









Acoustical Insulation

**Available Color:** 





# Packaging: Aerosol Can (Gun) 750ml

# **CONSTRUCTION FOAM**

# **SOUDAFOAM 2K B2**

SOUDAL

Two-component fast-curing foam (can be cut after 15 min.). Forms a very dense and firm foam, independent of air humidity. Excellent shape stability. Quick and safe activation system.

# **Applications:**

- All foam applications in static and not static
- Application of a sound absorbing layer.
- √ Improving thermal isolation.
- Filling of cavities.
- Sound insulation upto 63db.

# **Properties:**







Fast Good Adhesion



Acoustical Insulation

#### Available Color:



#### Packaging:

Aerosol Can (Straw) 400ml



# **SOUDAFOAM BLACK**

Soudafoam Black is a polyurethane based foam with excellent thermal and acoustic insulation values for the filling of large gaps and openings where aesthetics are important. To be applied with a special high quality foam gun.

# **Applications:**

SOUDAL

- Quick and easy filling of all types of gaps and cracks. Insulation of panels, corrugated
- Installation of door and window frames.
- Sealing gaps and cracks in RV carriages, automotive HVAC etc.

# **Properties:**











Stability

Insulation

#### Available Color:



# Packaging:

Aerosol Can (Gun) 750ml





# **SOUDABOND EASY 1K GUN**

Soudabond Easy 1K Gun is a ready-to-use, single component, self expanding polyurethane adhesive for clean, efficient and economical permanent bonding of insulation panels and plasterboard in building and construction.

# Applications:

- Clean, efficient and economical permanent bonding of insulation panels.
- Suitable for bonding polystyrene (EPS + XPS), polyurethane (PUR/PIR) and phenol resin foam based.
- Insulation panels for flat roofs, perimeters, facades, insulation/drain elements, cellar ceilings, internal insulation, etc.
- Fills cavities between individual thermal insulation panels.

# **Properties:**

















Initial Bond

# Available Color:



Packaging:

Aerosol Can (Gun) 750ml



# SOUDAL

POLYURETHANE FOAM

# **SOUDABOND EASY GENIUS GUN**

Soudabond Easy Genius is a ready-to-use, single component, self-expanding polyurethane adhesive for clean, efficient and economical permanent bonding of insulation panels and plasterboard in building and construction.

# **Applications:**

- Suitable for bonding gypsum plasterboard/gypsum fiberboard in dry lining applications.
- Suitable for bonding non-load bearing walls, e.g. partition walls, screen walls, cellar bars, stone shelves, etc., of concrete precision blocks (aerated concrete, sand-lime brick,
- Fills cavities between individual thermal insulation panels.

# **Properties:**







High Thermal Insulation Initial Bond

Available Color:



Packaging: Aerosol Can 750ml



# **CONSTRUCTION FOAM**



# **SOUDAFOAM FR HY AND SOUDAFOAM FR HY GUN**

Soudafoam FR HY and Soudafoam FR HY Gun are one-component, self expanding, ready to use polyurethane foam, which contains HCFC and CFC-free propellants who are not harmful for the ozone layer and where the canister is provided with a thread so it can be used on a gun. Soudafoam FR HY and Soudafoam FR HY Gun are PU-foam with fire retardant characteristics according to the European standard EN 1366-4. Because of the Duravalve, the optimal yield remains over the entire shelf life, even when stored or transported lying down.

# **Applications:**

- ✓ As part of the 'Soudal Fire Range' assortment for penetration seals and joints.
- ✓ Sealing of fire retardant joints in walls and ceiling.
- ✓ Installation of fireproof doors and windows.
- ✓ Sealing of all openings in roof constructions.
- $\checkmark$  Apply of an acoustic baffle.
- ✓ All foam applications in static joints.





# **Properties:**











Available Color:



# Packaging: Aerosol Can (Straw & Gun) 750ml







# **SOUDAFOAM GUN B1**

Soudafoam Gun B1 is a one-component, moisture-curing, self-expanding, ready to use polyurethane foam. The canister is provided with a thread so it can be used on a gun. Because of the Duravalve\*, the optimal yield remains over the entire shelf life, even when stored or transported lying down. High level of fire retardancy, tested according to DIN 4102-1 standards.

# **Applications:**

- ✓ Installing of window and door frames.
- √ Filling of cavities.
- ✓ Sealing of all openings in roof constructions.
- ✓ Improving thermal isolation in cooling systems.
- ✓ All foam applications in static joints.
- ✓ Foaming cavities and joints in external thermal insulation systems (ETICS).

# **Properties:**














**Available Color:** 



Packaging: Aerosol Can (Gun) 750ml









PERFECT FOR ROOFING, GUTTERS & EXTERIOR JOINTS

# **POLYBUTENE SEALANT**



# **BUTYRUB**

Butyrub is a high quality, permanent plastic, one-component sealant based on polybutene. Butyrub is a non-setting sealant which forms an elastic and watertight skin.

# **Applications:**

- ✓ Joints with limited movement (max. 5%).
- ✓ Sealant for joints in masonry, door and window frames, windowsills.
- ✓ Installation of single glass in wooden, concrete and steel window frames like in greenhouses.
- ✓ Sealing of joints in coach work and container construction.
- ✓ Sealing of all openings in roof constructions.
- √ Repairing and renovation of roofs and gutters.

# **Properties:**









Resistance Resistance Plastic

**Available Color:** 





Packaging:

Cartridge 300ml & Sausage 400ml, 600ml





# **BUTYBAND**

Butyband is a butyl rubber based, ready to use, self-adhesive, elasto-plastic flashing and sealing tape. Excellent adhesion onto all surfaces even when applied at low temperatures. Available in rolls of 10m length in various widths

# **Application:**

Sealing around chimneys, air vents, skylights, window sills and sliding doors. Universal sealing and repairing tape.

# **Properties:**



Adhesion









Available Color:



Lead Grev

Packaging:

Roll Length (m): 10 Thickness (mm): 0.6





# SOUDAL non-hardening OLYISOBUTENE

# **SOUDASEAL PIB**

Soudaseal PIB is a high performance polyisobutene (PIB) based sealant which is a permanently non-curing, plastic-staying sealant, which can be dabbed away with a piece of the sealant itself.

# **Applications:**

- Sealing of overlaps and joints in transportation vehicles such as bus, caravan and truck.
- Sealing of rubber-glass bonds in buses, cars, trains and lorries.
- Sealing of clamped parts in HVAC ducts and units.

# **Properties:**







Low Water Permeability

**Available Color:** 



Black

Packaging: Cartridge 300ml & Sausage 600ml





HIGH-PERFORMANCE WATER-BASED ADHESIVES & SEALANTS FOR MODERN APPLICATIONS

# **WATER BASE**



# **DUCTSEAL WB**

Ductseal WB is a flexible solvent-free sealant based on synthetic polymers. Specially developed for sealing seams and gaps in metal structures such as air ducts.

# **Applications:**

- ✓ Sealing of seams and gaps in (high pressure) air ducts, spiral, square, tube, etc.
- ✓ Sealing of connections of ducts, conduits, ventilation network pipes (HVAC).
- √ Joints with movement till max 15%.

# **Properties:**









**Available Color:** 



Packaging: Cartridge 310ml & Bucket 6kg





# **180 AQ CONTACT ADHESIVE**

180 AQ Contact Adhesive is a water-based, universal, liquid and solvent-free contact adhesive based upon polychloroprene rubbers.

#### Applications:

- √ Two-sided on various materials, wood and stratified decorative covering panels (Formica®, Resopal®), veneer, stairsteps and nosings, PVC-plinths, leather cork, textile, with each other for wood, stone, concrete, plaster, metal and other smooth, non-porous surfaces.
- 🗸 For adhesion between polystyrenefoam (PS) (Isomo®, Styropor®, Frigolit®, Kemisol®, Hisfa®), foamrubber, polyetherfoam.
- ✓ For adhesions on higher temperatures (+105°C).

# **Properties:**







Moisture Chemical





Fast Strength Build-Up



Available Color:



Blue





# **190 AQ CONTACT ADHESIVE**

190 AQ Contact Adhesive is a water-based, universal, liquid and solvent-free contact adhesive based upon polychloroprene rubbers.

# **Applications:**

- Two-sided adhesions on various materials, wood and stratified decorative covering panels (Formica®, Resopal®), veneer, stairsteps and nosings, PVC-plinths, leather cork, textile, with each other for wood, stone, concrete, plaster, metal and other smooth, non-porous surfaces.
- 🗸 For adhesion between polystyrenefoam (PS) (Isomo®, Styropor®, Frigolit®, Kemisol®, Hisfa®), foamrubber, polyetherfoam.
- $\checkmark$  For adhesions on higher temperatures (+105°C).

# **Properties:**



Resistant



Moisture



Chemical Resistant



Build-Up



High Initial Grab

**Available Color:** 



Packaging: Bottle 5L

Packaging: Bottle 5L





**STRENGTH YOU CAN SPRAY** 

# **RUBBER BASE ADHESIVES**

# **CONTACT ADHESIVE 170TX (GEL)**

170TX is a universal, toluene-free, solvented, ready-to-use, thixotropic contact adhesive based upon rubber and synthetic resins.

## **Applications:**

- √ Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves.
- $\checkmark$  Bonding synthetic decoration panels and work tops in wood, metal or board.



# **Properties:**







Moisture Resistant











# **SOUDAGUARD UBC**

Soudaguard UBC is a rubber based underbody coating based on an elastic synthetic dispersion that forms a seamless protective coating after drying.

# **Applications:**

- ✓ Forms a protective film against rust, oil, grease, water and salt.
- √ Forms a protective coating against stone-chipping.
- $\checkmark$  For the protection of wheel arches and bodywork.
- $\checkmark$  Forms a protective coating against heat and sound vibrations.



**Properties:** 









**Available Color:** 





Packaging: Drum 220kg & Sausage 600ml





# **RUBBER BASE ADHESIVES**

# **SOUDABOND 265 CLASSIC SPRAY**

Soudabond 265 Classic is a ready-to-use, universal contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol.

## **Applications:**

- $\checkmark$  For bonding a broad range of materials (not suitable for uneven surfaces).
- 🗸 Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber.



# **Properties:**









Fast Hand Tight Bond

Dichloromethane (DCM) free

### **Available Color:**



Packaging: Aerosol Can 500ml






# **SOUDABOND 280 POWER SPRAY AND SOUDABOND 280 POWER SPRAY C&S**

Soudabond 280 Power Spray is a ready to use, strong and fast contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol. The Click & Spray gun variant offers precise control and a faster, more ergonomic application for largescale projects.

# **Applications:**

- $\checkmark$  For bonding a broad range of materials (not suitable for uneven surfaces).
- ✓ Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber.





SOUDAL

# **Properties:**









Dichloromethane (DCM) free Tight Bond

**Available Color:** 



Packaging: Aerosol Can 500ml & 750ml





# **RUBBER BASE ADHESIVES**



# **ALUSEAL**

AluSeal is a high-quality, elastic, watertight, one-component sealant that seals and protects the cut edges of aluminium profiles against corrosion. AluSeal has been developed for the durable sealing of mitre and butt joints in aluminium constructions (e.g. extruded window profiles). AluSeal is based on synthetic rubber. The transparent version is crystal clear (100% transparent).

- ✓ Protection against corrosion of cut edges in (blank) aluminium profiles
- ✓ Durable sealing of mitre and butt joints in aluminium constructions (e.g. extruded window profiles)

# **Properties:**









Protect Against Corrossion

Permanently Elastic

# **Available Color:**



Packaging: Cartridge 310ml







ENGINEERED FOR HEAVY-DUTY
PERFORMANCE IN CONCRETE AND MASONRY

# **CHEMICAL ANCHORS**



# **SOUDAFIX VE400-SF**

Soudafix VE400-SF is a two-component anchoring resin for the pressure-free securing of threaded rods (ETA: M8-M30), studs, reinforcement bars (ETA: Ø8-Ø32), threaded collars, profiles etc. in various solid and hollow materials, such as cracked and uncracked concrete, solid brick, hollow brick, porous concrete, natural stone (refer TDS), plasterboard walls, etc.

# **Applications:**

- ✓ Securing of heavy loads in solid and hollow building materials.
- ✓ Pressure-free anchoring even close to edges.
- √ Can be used as repair mortar.



# **Properties:**











# **Available Color:**



# Packaging:







# SOUDA

DURCISSEMENT ULTRA RAPIDE

# **SOUDAFIX CA1400**

Chemical anchor CA1400 is a two-component anchoring resin for the pressure-free securing of anchoring rods, studs, reinforcing bars, threaded collars, profiles etc... in various solid and hollow materials, such as concrete, cracked concrete, solid brick, hollow brick, porous concrete, natural stone, plasterboard walls, etc

- ✓ Securing of heavy loads in solid and hollow building materials.
- √ Pressure-free anchoring even close to edges.
- √ Can be used as repair mortar.

# **Properties:**







Curina



Wet Drill Holes



High Viscosity

# Available Color:






Medium Grey After Mixing

# Packaging:

Cartridge 280ml, 165ml







PRECISION TOOLS AND POWERFUL CLEANERS FOR EVERY JOB

# **PRIMERS**



# **SURFACE ACTIVATOR**

Cleaner, degreaser and activator. Used for activating non-porous surfaces to achieve improved adhesion.

# **Application:**

Powder-coated aluminum and various plastics to enhance adhesion for sealant and bonding applications.

### **Available Color:**



Clear

Packaging: Bottle 500ml &

Bidon 5l, 25l





# **PRIMER 100**

Universal one-part, porous surface primer. Liquid, easy to apply. Suitable for all professional sealants and adhesives based on polyurethane, polysulphide and hybrid polymers.

Priming porous substrates and expansion joint surfaces, particularly those exposed to high moisture or frequent water contact.

### **Available Color:**



Packaging:

Bottle 500ml





# **PRIMER 150**

Universal one part, porous surfaces primer. To be used with silicone sealants, hybrid polymer sealants and adhesives.

# Applications:

Priming porous substrates and expansion joint surfaces, particularly on materials exposed to high moisture or frequent water contact.

# **Available Color:**



# Packaging: Bottle 500ml



# **CLEANERS**



# **SURFACE CLEANER**

Cleaner and degreaser for use prior to the application of Soudal products. It can also be used for the removal of excess Aluseal, PU, silicone and hybrid polymers.

# **Applications:**

- ✓ Cleaner and degreaser.
- Surface preparation before applying adhesives or sealants.

# Available Color:



Packaging: Bottle 500ml





# **GUN & FOAM CLEANER**

Soudal Gun & Foam Cleaner is a ready to use aerosol cleaner for use with Soudal's Gun Foams and PU Foams.

# **Application:**

Cleaning of Gun foam tools. Cleaning and removing of uncured PU Foam.

# **Available Color:**



Packaging: Aerosol Can 500ml



# **CLEANERS**

# **INDUSTRIAL PU CLEANER 6300**

Industrial grade cleaner for removing uncured polyurethane adhesives.

Industrial PU Cleaner 6300 can be used for cleaning uncured polyurethane adhesive from tools and materials.



### **Available Color:**



Clear

# Packaging: Jerrycan 10l



# **SWIPEX**

Soudal Swipex are high performance cleaning wipes for the fast and permanent removal of sealant and adhesive stains from hands, tools and



SOUDAL

# **Application:**

Cleans and removes uncured sealant and adhesive rests, oil and grease stains from surfaces and from hands, cleans tools.

### **Available Color:**



Packaging: Plastic Box 100 wipes Plastic bag 20 wipes





# **DISSOLVER SP**

Dissolver SP is a universal, colorless, cleaner, thinner and remover. Cleans all tooling: brushes, spatulas, guns, ... as well as stains of adhesive and redundant adhesive.

# **Applications:**

- Transparent solvent mixture suitable for removing fresh glue stains and cleans brushes, palette knives and glue spatulas.
- √ For breaking of adhesive bonds.

# **Available Color:**



Clear

# Packaging:

Aerosol Can 500ml



# **REMOVER CT**

Remover CT is a non-aggressive Mixture, suitable for removing fresh adhesive residues and most types of cured contact adhesive.

# **Applications:**

- √ Removing of fresh adhesive residues and most types of cured contact adhesive.
- Ideal for removing grease, oils and other dirt residues

# **Available Color:**



# Packaging:

Aerosol Can 500ml





Cleaner/Activator

# **CARBOND 955 DG CLEANER/ACTIVATOR**

Carbond 955 DG Cleaner/Activator is a two in one product that degreases and prepares the substrate for optimal adhesion of Carbond 955DG.

# **Application:**

Cleaning agent and adhesion promotor for windscreens.

# Available Color:



Clear

# Packaging:

Bottle 30ml





# **CARBOND 955 DG PRIMER**

Carbond 955 DG Primer is a primer for use with Carbond 955DG.

# Application:

Black primer for windscreen installation.

# **Available Color:**



Black

# Packaging: Bottle 30ml

# **APPLICATION GUNS**







# Tyne (Airflow II)

Pneumatic Applicator for Cartridges and Sausages Dispenses 310ml, 400ml and 600ml packs



Notes

# Together, we build the future

www.soudal.in



Terms & conditions apply
The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control. We recommend to carry out preliminary experiments with the specific product & substrate. Soudal India reserves the right to modify products without prior notice.

# **Soudal India Pvt. Ltd.**

A-91, Okhla Industrial Area, Phase - II, New Delhi - 110020 8010-114-114 | info@soudal.in | www.soudal.in

**Toll Free:** 1800-102-103



**SCAN TO CONNECT**